Application/Control Number: 09/101,825

Art Unit: 1647

Page 2

Examiner's Amendment

An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to Applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it Must be submitted no later than the payment of the Issue Fee.

Examiner's Amendment Authorized

Authorization for this Examiner's Amendment was given in a fax transmission by Iver Cooper on April 28, 2004.

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-17 (cancelled).

18 (currently amended). A non-naturally occurring polypeptide, or a polypeptide in at least partially purified form, which is six to 20 amino acids in length, and which comprises the following sequence

 $X_A - X_4 - X_B - X_5 - X_C - X_6$

wherein X_4 and X_5 are independently selected from the group consisting of Met, Ile, Leu, Val, norvaline, norleucine, methionine-S-oxide, N-methylvaline, N-methyl isoleucine, alloleucine, and their D-isomers;

 X_6 is selected from the group consisting of Asn, Asp, Gln, Glu, and their D-isomers,

X, is L-Thr or D-Thr,

.. \textbf{X}_{B} is L-Lys, L-Orn, L-Dab, or one of their D-isomers, and

Xc is L-Arg or D-Arg,

wherein at least one of the following conditions (I)-(IV) (V) is true:

Application/Control Number: 09/101,825 Art Unit: 1647 Page 3

- I) at least one of X_A, X_B, X_C, X₄, X₅ or X₆ is an a nonnatural or unusual amino acid other than a genetically encoded
 amino acid, the genetically encoded amino acids being here
 defined as amino acids selected from the group consisting of
 glycine, L-alanine, L-serine, L-threonine, L-leucine, Lisoleucine, L-methionine, L-valine, L-cysteine, L-asparagine,
 L-aspartic acid, L-glutamine, L-glutamic acid, L-arginine, Llysine, L-histidine, L-phenylalanine, L-tryptophan, Ltyrosine, and L-proline,
 - II) the polypeptide is cyclized,
 - HII) the polypeptide is stabilized,
- <u>III)</u> IV) the aminoterminal amino acid residue is acylated, or
- <u>IV)</u> the carboxyterminal amino acid residue is amidated, said polypeptide having at least one of the following properties:
- a) induces inhibition of spontaneous IL-8 production by human monocytes,
- b) induces inhibition of IL-1 β induced IL-8 production by human peripheral blood mononuclear cells (PBMC),
- c) induces production of interleukin-1 receptor antagonistic protein (IRAP) by human monocytes,
- d) induces chemotactic migration of CD8+ human T lymphocytes in vitro,
- e) desensitizes human CD8+ T cells resulting in an unresponsiveness towards rhIL-10,
- f) suppresses the chemotactic response of CD4+ T human lymphocytes towards IL-8,
- g) suppresses the chemotactic response of human monocytes towards MCAF/MCP-1,
- h) inhibits class II MHC molecule expression on human monocytes stimulated by IFN-Y,
 - i) induces the production of IL-4 by cultured normal

Application/Control Number: 09/101,825 Art Unit: 1647

Page 4

human CD4+ T cells,

- j) reduces TNF α production in human mixed leukocyte reaction, or
- k) downregulates $TNF\alpha$ and IL-8 production in a rabbit model of bile acid induced acute pancreatitis and reduces neutrophil infiltration in the lungs of the treated rabbits.
- 19 (currently amended). A polypeptide according to claim 18, which comprises the following sequence

 X_3 -Thr- X_4 -Lys- X_5 -Arg- X_6 (SEQ ID NO:20),

wherein

 X_3 , X_4 and X_5 are independently selected from the group consisting of Met, Ile, Leu and Val; and X_6 is selected from the group consisting of Asn, Asp, Gln and Glu,

wherein at least one of the following conditions (I)- $\underline{\text{(IV)}}$ (V) is true:

- I) at least one of X_3 , X_4 , X_5 , X_6 , Thr, Lys, and Arg is independently substituted with a non-natural or unusual an amino acid other than a genetically encoded amino acid,
 - II) the polypeptide is cyclized,

HII) the polypeptide is stabilized,

 $\underline{III)}$ the aminoterminal amino acid residue is acylated, or

 \underline{IV}) \overline{V} the carboxyterminal amino acid residue is amidated.

20 (currently amended). A polypeptide according to claim 18, which comprises the following sequence

 $X_2-X_3-Thr-X_4-Lys-X_5-Arg-X_6$ (SEQ ID NO:21),

wherein

X2 is Tyr or Phe,

 X_3 , X_4 and X_5 are independently selected from the group consisting of Met, Ile, Leu and Val; and X_6 is selected from the group consisting of Asn, Asp, Gln and

Application/Control Number: 09/101,825

Art Unit: 1647

Page 5

Glu,

wherein at least one of the following conditions (I)- $\underline{\text{(IV)}}$ (V) is true:

- I) at least one of X_2 , X_3 , X_4 , X_5 , X_6 , Thr, Lys, and Arg is independently substituted with a non-natural or unusual an amino acid other than a genetically encoded amino acid,
 - II) the polypeptide is cyclized,
 - III) the polypeptide is stabilized,
- \underline{III}) the aminoterminal amino acid residue is acylated, or
- IV) Whe carboxyterminal amino acid residue is amidated.
- 21 (currently amended). A polypeptide according to claim 18, which comprises the following sequence

 $X_1 - X_2 - X_3 - Thr - X_4 - Lys - X_5 - Arg - X_6$ (SEQ ID NO:22),

wherein

 X_1 is Ala or Gly,

X, is Tyr or Phe,

- X_3 , X_4 and X_5 are independently selected from the group consisting of Met, Ile, Leu and Val; and
- X_{δ} is selected from the group consisting of Asn, Asp, Gln and Glu,

wherein at least one of the following conditions (I) $-\frac{(IV)}{(V)}$ is true:

- I) at least one of X_1 , X_2 , X_3 , X_4 , X_5 , X_6 , Thr, Lys, and Arg is independently substituted with a non-natural or unusual an amino acid other than a genetically encoded amino acid,
 - II) the polypeptide is cyclized,
 - III) the polypeptide is stabilized,
- $\overline{\text{III}}$ $\overline{\text{IV}}$ the aminoterminal amino acid residue is acylated, or
- \underline{IV}) the carboxyterminal amino acid residue is amidated.

Page 6

Application/Control Number: 09/101,825

Art Unit: 1647

wherein

 X_4 and X_5 are independently selected from the group consisting of Met, Ile, Leu and Val; and

 \mathbf{X}_{6} is selected from the group consisting of Asn, Asp, Gln and Glu,

or which comprises a sequence which differs from SEQ ID NO:19 solely in that at least one of Thr. Lys, and Arg in SEQ ID NO:19 is independently substituted with a non-natural or unusual an amino acid selected from the group consisting of

dat dis dinti	
Aad	2-Aminoadipic acid
bAad	3-Aminoadipic acid
bAla	beta-Alanine, beta-Aminopropionic acid
Abu	2-Aminobutyric acid
4Abu	4-Aminobutyric acid, piperidinic acid
Acp	6-Aminocaproic acid
Ahe	2-Aminoheptanoic acid
Aib	2-Aminoisobutyric acid
bAib	3-Aminoisobutyric acid
Apm	2-Aminopimelic acid
Dbu	2,4-Diaminobutyric acid
Des	Desmosine
Dpm	2,2'-Diaminopimelic acid
Dpr	2,3-Diaminopropionic acid
EtGly	N-Ethylglycine
EtAsn	N-Ethylasparagine
Hyl	Hydroxylysine
aHyl	alo-Hydroxylysine
ЗНур	3-Hydroxyproline
4Hyp	4-Hydroxyproline
	•

Isodesmosine

Ide

Application/Control Number: 09/101,825 Page 7
Art Unit: 1647

alle allo-Isoleucine

MeGly N-Methylglycine, sarcosine

MeIle N-Methylisoleucine

MeLys 6-N-Methyllysine

MeVal N-Methylvaline

Nva Norvaline

Nle Norleucine

and

Orn Ornithine,

said polypeptide having at least one of the properties defined in claim 18.

23-24 (cancelled).

- 25 (currently amended). A polypeptide according to claim 18 amounting consisting of up to 15 amino acids.
- 26 (currently amended). A polypeptide according to claim 18 amounting in total consisting of 10, 11, 12, 13, or 14 amino acids.
- 27 (currently amended). A polypeptide according to claim 18 amounting in total consisting of 9 amino acids.
- 28 (previously presented). The polypeptide of claim 21 wherein at least condition (I) is true.
- 29 (previously presented). The polypeptide of claim 20 wherein at least condition (I) is true.
- 30 (previously presented). The polypeptide of claim 19 wherein at least condition (I) is true.
- 31 (previously presented). The polypeptide of claim 18 wherein at least condition (I) is true.
- 32 (previously presented). The polypeptide of claim 18 which has the amino acid sequence Ala-Tyr-Met-Thr-Met-Lys-Ile-Arg-Asn (SEQ ID NO:1).
 - 33 (cancelled).
- 34 (previously presented). A polypeptide according to claim 18 which is cyclized.

Application/Control Number: 09/101,825

Page 8

Art Unit: 1647

- 35 (cancelled).
- 36 (previously presented). A polypeptide according to claim 18 wherein the aminoterminal amino acid residue is acylated.
- 37 (previously presented). A polypeptide according to claim 18 wherein the carboxyterminal amino acid residue is amidated.
- 38 (currently amended). A <u>liposome comprising a</u> polypeptide according to claim 18 encapsulated in a liposome.
- 39 (previously presented). A polypeptide according to claim 18 in substantially pure form.
 - 40 (cancelled).
- 41 (currently amended). A pharmaceutical composition comprising a polypeptide according to claim 18, or a salt; ester or solvate of said polypeptide, or a peptidomimetic modelled on the basis of said polypeptide, where said peptidomimetic comprises an alpha-helical template.
 - 42-50 (cancelled).
- 51 (currently amended). A method of treating The method of claim 49 wherein the disease is acute pancreatitis which comprises administration of a therapeutically effective amount of the composition of claim 41.
- 52 (currently amended). A method of treating The method of claim 49 in which the disease is ARDS-like syndrome which comprises administration of a therapeutically effective amount of the composition of claim 41.
- 53 (currently amended). The method of claim 49 wherein acute pancreatitis is treated, 51, further resulting in prevention of ARDS-like syndrome.
 - 54-64 (cancelled).
- 65 (previously presented). The polypeptide of claim 18 where SEQ ID NO:19 is the C-terminal of said polypeptide and the polypeptide is not cyclized.

Application/Control Number: 09/101,825 Art Unit: 1647 Page 9

- 66 (cancelled).
- 67 (previously presented). The polypeptide of claim 66 whose length does not exceed 10 amino acids.
- 68 (currently amended). The polypeptide of claim 18, said polypeptide being selected from the group consisting of polypeptides identical to SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, and SEQ ID NO:22, except that at least one of conditions (I)-(IV) (V) applies.

69-73 (cancelled).

74 (previously presented). The polypeptide of claim 18 where said amino acids, other than X_A , X_B , X_C , X_4 , X_5 or X_6 , are alpha or beta amino acids.

75 (previously presented). The polypeptide of claim 18 which is not more than 15 a.a. in length.

76 (currently amended). A non-naturally occurring polypeptide, or a polypeptide in at least partially purified form, which is six to 20 amino acids in length, and which comprises the following sequence

$$X_A - X_4 - X_B - X_5 - X_C - X_6$$

X_A is L-Thr or a non-natural or unusual an amino acid other than a genetically encoded amino acid, the genetically encoded amino acids being here defined as amino acids selected from the group consisting of glycine, L-alanine, L-serine, L-threonine, L-leucine, L-isoleucine, L-methionine, L-valine, L-cysteine, L-asparagine, L-aspartic acid, L-glutamine, L-glutamic, L-glutamic, L-tryptophan, L-tyrosine, and L-proline, X_B is L-Lys or a non-natural or unusual an amino acid other than a genetically encoded amino acid,

 X_c is L-Arg or a-non-natural or unusual an amino acid other than a genetically encoded amino acid,

 $\rm X_4$ and $\rm X_5$ are independently selected from the group consisting of L-Met, L-Ile, L-Leu, L-Val and a non-natural or unusual an

Page 10

Application/Control Number: 09/101,825
Art Unit: 1647

amino acid other than a genetically encoded amino acid, X_6 is L-Asn, L-Asp, L-Gln, L-Glu, or a non-naturally or unusual an amino acid other than a genetically encoded amino acid, no more than one of X_A , X_B , X_C , X_4 , X_5 and X_6 is a non-natural or unusual an amino acid which is other than a genetically encoded amino acid and [[,]] other than the D-isomer of an L-amino acid recited as possible at that position, wherein at least one of the following conditions (I)-(IV) (V) is true:

- I) at least one of X_A , X_B , X_C , X_G , X_G or X_G is a non-natural or unusual an amino acid other than a genetically encoded amino acid,
 - II) the polypeptide is cyclized,
 - III) the polypeptide is stabilized,
- $\underline{III)}$ the aminoterminal amino acid residue is acylated, or
- $\underline{\text{IV}}$ $\underline{\text{V}}$ the carboxyterminal amino acid residue is amidated,
- said polypeptide having at least one of the following properties:
- a) induces inhibition of spontaneous IL-8 production by human monocytes,
- b) induces inhibition of IL-1 β induced IL-8 production by human peripheral blood mononuclear cells (PBMC),
- c) induces production of interleukin-1 receptor antagonistic protein (IRAP) by human monocytes,
- d) induces chemotactic migration of CD8+ human T lymphocytes in vitro,
- e) desensitizes human CD8+ T cells resulting in an unresponsiveness towards rhIL-10,
- f) suppresses the chemotactic response of CD4+ T human lymphocytes towards IL-8,
 - g) suppresses the chemotactic response of human

Application/Control Number: 09/101,825 Page 11
Art Unit: 1647

monocytes towards MCAF/MCP-1,

- h) inhibits class II MHC molecule expression on human monocytes stimulated by IFN-Y,
- i) induces the production of IL-4 by cultured normal human CD4+ T cells,
- j) reduces TNFa production in human mixed leukocyte reaction, or
- k) downregulates TNFα and IL-8 production in a rabbit model of bile acid induced acute pancreatitis and reduces neutrophil infiltration in the lungs of the treated rabbits, and wherein any non-natural or unusual amino acid referred to above is an amino acid selected from the group consisting of

e	e is an amb	tho actor selected from one aloub consist
	Aad	2-Aminoadipic acid
	bAad	3-Aminoadipic acid
	bAla	beta-Alanine, beta-Aminopropionic acid
	Abu	2-Aminobutyric acid
	4Abu	4-Aminobutyric acid, piperidinic acid
	Acp	6-Aminocaproic acid
	Ahe	2-Aminoheptanoic acid
	Aib	2-Aminoisobutyric acid
	bAib	3-Aminoisobutyric acid
	Apm	2-Aminopimelic acid
	Dbu	2,4-Diaminobutyric acid
	Des	Desmosine
	Dpm	2,2'-Diaminopimelic acid
	Dpr	2,3-Diaminopropionic acid
	EtGly	N-Ethylglycine
	EtAsn	N-Ethylasparagine
	Hyl	Hydroxylysine
	aHyl	alo-Hydroxylysine
	3Нур	3-Hydroxyproline
	4Нур	4-Hydroxyproline

Isodesmosine

Ide

Application/Control Number: 09/101,825 Art Unit: 1647

Page 12

alle allo-Isoleucine

MeGly N-Methylglycine, sarcosine

MeIle N-Methylisoleucine

MeLys 6-N-Methyllysine

MeVal N-Methylvaline

Nva Norvaline

Nle Norleucine

and

Orn Ornithine.

77 (currently amended). The polypeptide of claim 76 where no more than one of the amino acids of said polypeptide which lie outside said sequence, if any, is a non-natural or unusual an amino acid other than a genetically encoded amino acid and other than a D-isomer of one of the genetically encoded amino acids.

78 (previously presented). The polypeptide of claim 76 which is not more than 15 a.a. in length.

79 (previously presented). The polypeptide of claim 77 which is not more than 15 a.a. in length.

80-81 (cancelled).

82 (previously presented). The polypeptide of claim 18 where

 X_4 and/or X_5 are independently selected from the group consisting of Met, Ile, Leu, Val, norvaline, norleucine, N-methylvaline, N-methyl isoleucine, allo-leucine, and their D-isomers, and

X_B is L-Lys, L-Orn, or one of their D-isomers.

83-87 (cancelled).

88 (previously presented). The polypeptide of claim 18 where SEQ ID NO:19 is the C-terminal of said polypeptide.

89-91 (cancelled).